


SPARE PARTS EXPLODED VIEW STORAGE ELECTRIC WATER HEATERS Model

TITRONIC POWER H

R8215967-01EN - Edition 01 - 30/05/2007

370 0091 370 0092		TI TRONIC PW 40 H SLIM TI TRONIC PW 50 H SLIM		
370 0093 Reference	Ind.	TI TRONIC PW 65 H SLIM Model type	 Begin	 End
Relefence	mu.	Model type	Бедіп	EIIU




						,			$\overline{}$
					/	w/	/ ₈ / ₈ /	/	
Va. A	I Paramintian	/N	. /T		7,	//		Man	f data
Key N	N Description	Manf. Pt. N	I Type	\leftarrow	_	\leftarrow		from	f. date
	ELEMENT 1000/1500W 230V	65150507		•	•	•		110111	, 10
	WIRING (PROBE)	65102590		•	•	•			
	WIRING	65105597		•	•	•			
	PLASTIC COVER	65180019		•	•	•			
	SAFETY VALVE WITH LEVER	571730		•	•	•			
	ANODE D:21,3 L:180 M5	65180015		•	•	•			
	FLANGE BRACKET FLANGE GASKET	977340 570177		•	•	•			
	POWER P.C.B.	65150508		•	•	•			
	PLASTIC COVER	65180017		•	•	•			
	CABLE CLAMP	573266		•	•	•			
0066		65105599		•	•	•			
	SENSOR	65102543		•	•	•			
				ш		_	<u> </u>		

LIST OF THE ABBREVATIONS

HW : Hot water. CW : Cold water. : Ceramic resistance (normal heating). : Ceramic resistance (accelerated heating) TP : Immersion heater. 1F : With fittings. 2F : Without fittings. 3F With fittings and another outlet connection. AMI : With mixing valve. SMI : Without mixing valve. PUISS : Power of th appliance. PN : Appliance with normal pression. LP : Appliance with low pression. PV : Appliance with variable power. : Appliance with fixed power..

IDENTIFICATION PLATE

SERIAL NUMBER



The indications mentionned on the prices, commercial or technical literature and the scheme are written for your guidance and are available at a given time. The CONSTRUCTOR retains the power to modify the presentation, the form, the size, the conception or the material of the products.